Supplementary table 1: Weighted multivariable logistic regression analysis for factors associated with CRMU among non-elderly participants (<65 years):

Factors	OR (95% CI)
Working status last week	
Worked at a job/business	Reference
Absent from work	0.64 (0.30-1.38)
Did not have a job	1.04 (0.65-1.66)
Sex	
Females	Reference
Males	0.63 (0.40-0.99)
Racial background	
White	Reference
Indigenous	2.52 (1.47-4.31)
Others	1.06 (0.53-2.12)
Marital status	
Married	Reference
Unmarried	1.75 (1.10-2.78)
Self-perceived health	
Poor	Reference
Excellent	0.43 (0.15-1.18)
Very good	0.28 (0.11-0.71)
Good	0.73 (0.35-1.49)
Fair	1.09 (0.55-2.14)
Self-perceived mental health	
Poor	Reference
Excellent	0.92 (0.31-2.70)
Very good	1.79 (0.58-5.48)
Good	1.83 (0.68-4.91)
Fair	2.16 (0.80-5.79)
Total household income	
<u>></u> 80,000	Reference
<20,000	2.82 (1.48-5.37)

Appendix 2, as supplied by the authors. Appendix to: Abdel-Rahman O, North S. Patterns of cost-related medication underuse among Canadian adults with cancer: a cross-sectional study using survey data. *CMAJ Open* 2021. DOI:10.9778/cmajo.20200186. Copyright © 2021 The Author(s) or their employer(s). To receive this resource in an accessible format, please contact us at cmajgroup@cmaj.ca.

20,000- <40,000	4.02 (2.22-7.27)
40,000- <60,000	2.33 (1.29-4.21)
60,000- <80,000	1.98 (0.89-4.37)
Education	
Post-secondary education	Reference
Less than secondary school	0.60 (0.33-1.10)
Secondary school	0.77 (0.48-1.24)
Insurance for prescription medications	
Yes	Reference
No	3.14 (2.00-4.95)