Appendix Table 3 for:

Walk-in Clinic Patient Characteristics and Utilization Patterns in Ontario, Canada: A Cross-Sectional Study

Appendix Table 3. Operational definitions of all variables.

	Data	
Variable	Source	Definition
Age	PCPOP	AGE in PCPOP, categorized as:
		<18 years
		19-29 years
		30-44 years
		45-64 years
		65-74 years
		75+ years
Sex	PCPOP	SEX in PCPOP:
		Male
		Female
Neighborhood	PCPOP	Nearest census-based income quintile based on postal code
income quintile		(based on 2016 census, INCQUINT in PCPOP).(9)
Recent provincial	PCPOP	Recent registrant within the past 10 years, used as a proxy for
health insurance		immigration (IMMIG in PCPOP). Missing values are children less
registrant		than 10 years of age.
Urban/rural	PCPOP	Postal code converted to RIO score (RIOG in PCPOP; 10):
residence		0-9: Large urban
		10-39: Small urban
		40+: rural
Comorbidity count	DAD,	Count of ACG System Aggregated Diagnosis Groups (ADGs, per
	NACRS,	the Johns Hopkins ACG® System Version 7, in 2 years prior to
	OHIP	the index date.(11) Categorized as:
		Low: 0-5
		Moderate: 6-9
		High: 10+
Healthcare	DAD,	Using Resource Utilization Bands (RUBs), per the Johns Hopkins
utilization band	NACRS,	ACG® System Version 7, in 2 years prior to the index date.(11)
	OHIP	Categorized as:
		Low: 0-2
		Moderate: 3
		High: 4-5
Primary care	PCPOP	Formally enrolled (R_TYPE=R), virtually attached (R_TYPE=V;
physician		highest cost physician over a 2-year period with primary care
attachment		fee codes), or no primary care physician visits (R_TYPE=N).
Patient enrolment	PCPOP	Categorized from PROGTYPE3 in PCPOP as:
model (PEM)		

1

Appendix 3, as supplied by the authors. Appendix to: Lapointe-Shaw L, Kiran T, Salahub C, et al. Walk-in clinic patient characteristics and utilization patterns in Ontario, Canada: a cross-sectional study. *CMAJ Open* 2023. doi:10.9778/cmajo.2022-0095. Copyright © 2023 The Author(s) or their employer(s). To receive this resource in an accessible format, please contact us at cmaigroup@cmai.ca.

		Ta /=
		Capitation (Family Health Network or Family Health
		Organization)
		Team-based (Family Health Team)
		Enhanced fee for service (Family Health Group or
		Comprehensive Care Model)
		Other group
Total family	PCPOP	Total count of visits in the 2 years prior to the index visit
physician visits in		(TVISITS in PCPOP).
previous two years		
Total specialist visits	PCPOP	Total count of specialist visits in the 365 days prior to the index
in previous year		visits (SV_TOTSPEC in PCPOP).
At least one visit	PCPOP	Proportion of patients who had at least one visit with their
with enrolling family	OHIP	enrolling physician (R_TYPE=R in PCPOP) in the 2019 calendar
physician in the		year (January 1 st , 2019 to December 31 st , 2019).
previous year		If patient is virtually rostered or not rostered, this variable is
		missing. PCPOP variable PHYSNUM was linked with OHIP.
Proportion of	PCPOP	Any emergency department visit (i.e., all Canadian Triage and
patients with at least		Acuity Scale scores) in the 365 days prior to the index visit
one emergency		(ED_CTAST in PCPOP).
department visit in		
prior year		
Continuity of care	PCPOP	Proportion of visits to the patients' own family physician , out of
		all primary care visits. If less than 2 visits in a year, then this
		value is missing. From PCPOP, numerator is VIS_OWNP,
		denominator is TVISITS.
Length of enrolment	CAPE	Number of years a patient has been in their patient enrolment
(years)		group (SRTCAPE in CAPE).
Distance from	OHIP	Distance in kilometres from the patient's primary residence to
patient's residence		their rostered physician's clinic location. Postal codes were
to enrolling family		converted to latitudes and longitudes using the PCCF file. For
physician's practice		distances between the patient's residence to the physician's
		practice (km), we used the quartiles of the continuous
		distribution of the linear distance to the enrolling family
		physician in the Ontario population to create the category
		boundaries:
		0 - < 3 km
		3 - < 7 km
		7 - < 16 km
		+16 km
Day of the week of	PCPOP	Day of the week of the patient's visit with their rostered
encounter with	OHIP	physician (as define by PHYSNUM in PCPOP).
enrolling physician		Categorized as:
		Monday
		Tuesday

		Wednesday
		Thursday
		Friday
		Saturday
		Sunday
After-hours	OHIP	Proportion of visits that had a PEM or non-PEM after-hours
		code billed (i.e., evening or weekend visit). All billing to the
		same patient by the same physician on the same day were
		combined and counted once. Codes included: Q012, Q016,
		Q017, and A888.
Distance from	OHIP	Distance from the patient's primary residence to the clinic
residence to		location (i.e., either walk-in or to their rostered PCP's practice).
enrolling physician's		Categorized as:
practice in		0 to <3KM
kilometres		3 to <7KM
		7 to <16km
		>=16km
Day of the week of	OHIP	Day of the week of the walk-in or rostered PCP visit.
encounter	PCPOP	Categorized as:
		Monday
		Tuesday
		Wednesday
		Thursday
		Friday
		Saturday
		Sunday